

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L41	11	36 and (local adj network lan intranet) with (modify\$3 modification) with ip adj address \$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:52
L40	0	36 and (local adj network lan intranet) near3 (modify\$3 modification) with ip adj address \$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:52
L39	20	36 and (local adj network lan intranet) near3 (without) near4 (beyond internet external global)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:49
L38	50	36 and assign\$3 with ip adj address with (based substitut\$4 depend\$3 replac\$4) same (local adj network lan intranet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:45
L37	408	36 and assign\$3 with ip adj address with (based substitut\$4 depend\$3 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:45
L36	16288	(709/228,244,245,242.ccls. 370/395.31,395.54,401.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:45
L35	3	L34 and assign\$3 with ip adj address with (based substitut\$4 depend\$3 replac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:43
L34	106	L33 and 370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:43
L33	114	L32 and (@riad<"20000118" @ad<"20000118")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/03/05 16:43

L32	307	709/228,244,245,242.ccls. and 370/395.31,395.54,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:43
L31	103	30 and 370/401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:42
L30	111	29 and (@rlad<"20000118" @ad<"20000118")	USPAT	OR	OFF	2010/03/05 16:42
L29	307	709/228,244,245,242.ccls. and 370/395.31,395.54,401.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:41
L27	2	"6434627".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:28
L26	5	gateway near2 intercept\$3 near4 address\$3 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:19
L25	37	24 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:16
L24	90	((replacement replacing) adj2 address\$2) with (lan local))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:16
L23	48	(keep\$3 maintain\$3 restrict\$3) adj3 (communication data routing transmit\$4) near3 (local adj network lan intranet) and (@ad<"20000118" @rlad<"20000118") and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:14
L22	87	(keep\$3 maintain\$3 restrict\$3) adj3 (communication data routing transmit\$4) with (local adj network lan intranet) and (@ad<"20000118" @rlad<"20000118") and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:13

L21	19	(keep\$3 maintain\$3 restrict\$3) adj3 (communication data routing transmit\$4) with (local lan intranet) and (@ad<"20000118" @rlad<"20000118") and "709"/\$. ccls. and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:12
L20	309	(keep\$3 maintain\$3 restrict\$3) adj3 (communication data routing transmit\$4) with (local lan intranet) and (@ad<"20000118" @rlad<"20000118") and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:12
L19	13	(prevent\$3) adj3 (communication data routing transmit\$4) adj3 (internet external outside) and (@ad<"20000118" @rlad<"20000118") and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:09
L18	25	(prevent\$3) near3 (communication data routing) near3 (internet external outside) and (@ad<"20000118" @rlad<"20000118") and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:08
L17	731	(prevent\$3) near3 (communication data routing) near3 (internet external outside) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:07
L16	54	lan same (prevent\$3) near3 (internet external outside) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:04
L15	352	lan same (prevent\$3) same (internet external outside) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:04
L14	25	13 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:56
L13	91	((substitut\$3) adj2 address\$2) with (lan local))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:55
L12	14	11 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:34

L11	137	((convert\$3 conversion transl\$3 mapping substitut\$3) adj2 (global public external outside) near2 address\$2) adj2 (private internal lan inside) near2 address\$2) same ip and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:34
L10	14	9 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:33
L9	104	((convert\$3 conversion transl\$3) adj2 (global public external outside) near2 address\$2) adj2 (private internal lan inside) near2 address\$2) same ip and nat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:33
L8	58	7 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:32
L7	326	((convert\$3 conversion transl\$3) adj2 (global public external outside) near2 address\$2) adj2 (private internal lan inside) near2 address\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:32
L6	326	((convert\$3 conversion transl\$3) adj2 (global public external outside) near2 address\$2) adj2 (private internal lan inside) near2 address\$2)\	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:32
L5	32	((private internal lan inside) near2 ip adj2 address\$2) with based near3 (global public external outside) near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:22
L4	1	((private internal lan inside) near2 ip adj2 address\$2) with based near3 (global public external outside) near2 address) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:22
L3	66	((private internal lan inside) near2 address\$2) with based near3 (global public external outside) near2 address) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:21
L1	47	((private internal lan) near2 address\$2) near4 nat) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 15:01

S186	2	"6353614".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 10:55
S185	79	((private internal lan) near2 address\$2) with (secondary substitute temporary) near2 address\$2) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 09:52
S184	131	((private internal lan) near2 address\$2) same (secondary substitute temporary) near2 address\$2) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 09:51
S183	399	((private internal lan) near2 address\$2) same (secondary substitute temporary)) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 09:51
S182	1007	((private internal lan) near2 address\$2) same2 (secondary substitute temporary)) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 09:50
S181	107	((private internal) near2 address \$2) same (outside global wan internet external) and (gateway) and dhcp) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:53
S180	2	((private internal) near3 ip adj address with based) same2 (gateway) same2 dhcp and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:46
S179	33	(internal same external same ip adj address) same2 (gateway) same2 dhcp and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:32
S178	59	(subnet subnetwork sub-net sub-network) same2 (gateway) same dhcp and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:21
S177	201	S175 not S176	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:19

S176	53	(re-assign\$4 reassign\$4 replacement replac\$3) same ip adj2 address\$2 same3 (gateway) same3 dhcp and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:19
S175	254	(re-assign\$4 reassign\$4 replacement replac\$3) same ip adj2 address\$2 same3 (gateway) same3 dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 14:19
S174	53	(re-assign\$4 reassign\$4 replacement replac\$3) same ip adj2 address\$2 same3 (gateway) same3 dhcp and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:42
S173	236	(re-assign\$4 reassign\$4 replacement replac\$3) same ip adj2 address\$2 same3 (gateway dhcp) and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:42
S172	10	(prevent\$3 with rout\$3 same ((external outside wide local) with network)) same ip adj2 address\$2 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 11:00
S171	1	(substitution substitute) with (subnetwork subnet sub\$1net sub \$1network) same ip adj2 address \$2 and (@ad<"20000118" @rlad<"20000118")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/04 10:56

EAST Search History (Interference)

< This search history is empty >

3/ 5/ 2010 4:57:04 PM**C:\ Documents and Settings\ GTodd\ My Documents\ EAST\ Workspaces\ 09484098.wsp**